L	Hits	Search Text	DB	Time stamp
Number				
•	675	(bandwidth or resource) near3 allocat\$4	USPAT;	2003/01/28
		with server	US-PGPUB	13:22
-	218	((bandwidth or resource) near3 allocat\$4	USPAT;	2003/01/28
		with server) and (@ad<19970530 or @prad<19970530)	US-PGPUB	13:23
	45	((bandwidth or resource) near3 allocat\$4	USPAT;	2003/01/28
	1	with server) with dynamic\$4	US-PGPUB	13:23
	84	((bandwidth or resource) near3 allocat\$4	USPAT;	2003/01/28
		with server) same dynamic\$4	US-PGPUB	13:23
•	27	(((bandwidth or resource) near3 allocat\$4	USPAT;	2003/01/29
		with server) same dynamic\$4) and	US-PGPUB	09:52
		(@ad<19970530 or @prad<19970530)		
•	4	"dynamic bandwidth allocation" with server	USPAT;	2003/01/28
			US-PGPUB	14:01
•	19	"dynamic bandwidth allocation" and	USPAT;	2003/01/29
		(allocat\$4 with server)	US-PGPUB	09:50
•	4	5943046.URPN.	USPAT	2003/01/28
				14:13
•	4	6055577.URPN.	USPAT	2003/01/28
				14:16
	67	(bandwidth adj allocat\$4) with (number	USPAT;	2003/01/29
		near5 users)	US-PGPUB	09:53
	2588015	((bandwidth adj allocat\$4) with (number	USPAT;	2003/01/29
	2300013	near5 users)) (@ad<19970530 or	US-PGPUB	09:53
		@prad<19970530)	00-10100	03.33
	95	((bandwidth or resource) adj allocat\$4) with	USPAT;	2003/01/29
		(number near5 users)	US-PGPUB	09:54
•	30	(((bandwidth or resource) adj allocat\$4) with	USPAT;	2003/01/29
		(number near5 users)) and (@ad<19970530 or @prad<19970530)	US-PGPUB	09:54
•	967	((resource or bandwidth) adj allocat\$4) with	USPAT;	2003/01/29
		(according or based)	US-PGPUB	09:55
•	84	((resource or bandwidth) adj allocat\$4) with	USPAT;	2003/01/29
		(according or based) with ((number near4 user) or priority)	US-PGPUB	09:56
	31	(((resource or bandwidth) adj allocat\$4) with	USPAT;	2003/01/29
		((according or based) with ((number near4 user) or priority)) and (@ad<19970530 or	US-PGPUB	09:56
		@prad<19970530)		
	1	(((bandwidth adj allocat\$4) with (number	USPAT;	2003/01/29
		near5 users)) and (@ad<19970530 or	US-PGPUB	09:57
		@prad<19970530)) and ((((bandwidth or		
		resource) adj allocat\$4) with (number near5		
		users)) and (@ad<19970530 or		
		@prad<19970530)) and ((((resource or		
		bandwidth) adj allocat\$4) with (according or		
		based) with ((number near4 user) or		
•		priority)) and (@ad<19970530 or		
		@prad<19970530))		
	18	((bandwidth adj allocat\$4) with (number	USPAT;	2003/01/29
		near5 users)) and (@ad<19970530 or	US-PGPUB	10:02
		@prad<19970530)	30.3.03	

	12	((((bandwidth or resource) adj allocat\$4)	USPAT;	2003/01/29
	!	with (number near5 users)) and	US-PGPUB	10:07
		(@ad<19970530 or @prad<19970530)) not		
		(((bandwidth adj allocat\$4) with (number		
		near5 users)) and (@ad<19970530 or		
		@prad<19970530))		
-	30	((((resource or bandwidth) adj allocat\$4)	USPAT;	2003/01/29
		with (according or based) with ((number	US-PGPUB	10:17
		near4 user) or priority)) and (@ad<19970530		
		or @prad<19970530)) not ((((bandwidth or		
		resource) adj allocat\$4) with (number near5		
		users)) and (@ad<19970530 or		
		@prad<19970530)) not (((bandwidth adj		
		allocat\$4) with (number near5 users)) and		
		(@ad<19970530 or @prad<19970530))		

	L #	Hits	Search Text	DBs
1	L1	429	dynamic\$4 near3 (bandwidth adj allocat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	L2	29	server near3 (bandwidth adj allocat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	L3	76	server near3 (bandwidth near2 allocat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	L4	865	dynamic\$4 near3 (bandwidth near2 allocat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	L6	451	(3 or 4) and (@ad<19970530 or @prad<19970530)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	L5	8	3 and 4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	L7	32	3 and (@ad<19970530 or @prad<19970530) not 5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	L8	905	((assign\$4 or allocat\$3) near3 bandwidth) with (customer or user)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	L9	676	((assign\$4 or allocat\$3) near3 bandwidth) near5 (customer or user)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	L10	17	9 with server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	L11	4	10 same (dynamic or priorit\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	L12	155	9 same (dynamic or priorit\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB

	L #	Hits	Search Text	DBs
13	L13	288	9 and (@ad<19970530 or @prad<19970530) not 5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	L15	0	11 and (@ad<19970530 or @prad<19970530) not 5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	L14	3	10 and (@ad<19970530 or @prad<19970530) not 5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	L17	17	5802301.URPN.	USPAT
17	L16	62	12 and (@ad<19970530 or @prad<19970530) not 5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB